


Table of contents

115V CLIPPER 12 (1.008-025.0)	2
9020 FRAME ASSEMBLY	3
9030 BRUSH ASSEMBLY	6
9040 PUMP	9
9050 VACUUM SHOE	11
9060 CONTROL PANEL	13
9070 SOLUTION TANK & VACUUM	16
9080 RECOVERY TANK	19
9090 WIRING DIAGRAM - CLIPPER 12 115V	21

115V CLIPPER 12 (1.008-025.0)

POS	Description	Quantity	Unit
9020	FRAME ASSEMBLY	1	PC
9030	BRUSH ASSEMBLY	1	PC
9040	PUMP	1	PC
9050	VACUUM SHOE	1	PC
9060	CONTROL PANEL	1	PC
9070	SOLUTION TANK & VACUUM	1	PC
9080	RECOVERY TANK	1	PC
9090	WIRING DIAGRAM - CLIPPER 12 115V	1	PC




9020 FRAME ASSEMBLY

POS	Article no.	Description	Quantity	Unit
1	8.630-007.0	HUBCAP, 9.75" WHEEL, BLACK	2	PC
2	8.603-308.0	FRAME, CLIPPER 12	1	PC
3	8.600-434.0	Hose assembly 1.5 BLK VAC X 15.5	1	PC
4	8.600-166.0	HUBCAP, 5/8" SHAFT	2	PC
5	8.623-882.0	HARNESS, MAIN CLP/ADM	1	PC
6	8.623-961.0	HINGE, TANK TO FRAME	1	PC
7	8.602-615.0	MOTOR ASM, BRUSH CLP FAMILY	1	PC
8	8.600-564.0	NUT, 10-32 HEX NYLOCK STL GR2 ZNPLT	10	PC
9	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	3	PC
10	8.619-853.0	FOAM TAPE, 1/8T X 3/4 1SDA	2	Feet
11	8.929-333.0	Plate brush Clamp MTR	1	PC
12	8.600-602.0	Belt pulley 1.4 OD, 6GR, MICRO-V	1	PC
13	8.625-448.0	SPACER, HANDLE PIVOT	2	PC
14	8.623-820.0	GEAR, 40 TOOTH	2	PC
15	8.622-374.0	SCREW, 1/4-20 X .59 PHPNHMS SS	2	PC
16	8.627-398.0	SCREW, 10-32 X .75 PHPNHMS SS	10	PC
17	8.600-571.0	NUT, 1/4-20 HEXSTRW LK STL ZNPLT	3	PC
18	8.601-063.0	WASHER, 1/4 SS	2	PC
19	8.601-066.0	WASHER 1/4 EXTLK SS	2	PC
20	8.601-065.0	WASHER, .203 X .562 X .040 FLT	10	PC
21	8.600-655.0	SCREW, 10-32 X .25 SCHSET KCP STL NP	2	PC
22	8.625-619.0	STRAIN RELIEF, 90 DEGREE	1	PC
23	8.627-661.0	SCREW, 1/4-20 X 1.25 PHPNHMS SS	1	PC
24	8.622-605.0	WHEEL, 9.75" X 1.5"	2	PC
25	8.758-194.0	Axle 5/8 X 17.06L	1	PC
26	8.613-449.0	HEAT SHRINK, 3/4 ID UL/CSA	10	Feet
27	8.625-309.0	Seal	1	PC
28	8.623-314.0	CLAMP, 2.0" WORM GEAR	1	PC
29	8.627-650.0	SCREW, 5/16-18 X 3.5 SCHCS BLKOX	6	PC
30	8.627-913.0	Washer 5/16 SPLIT LOCK PLTD	6	PC
31	8.606-929.0	BRKT, HANDLE SUPPORT	1	PC
32	8.606-930.0	BRKT, CLP HANDLE SUPPORT LT	1	PC
33	8.627-476.0	SCREW, 1/4-20 X .5 HHCS STL GR5 ZNPLT	2	PC

9020 FRAME ASSEMBLY

POS	Article no.	Description	Quantity	Unit
34	8.600-653.0	SCREW, 1/4-20 X 1 PHPNHMS SS	2	PC
35	8.627-216.0	PIN, ROLL 1/8 X 1 SS	1	PC




9030 BRUSH ASSEMBLY

POS	Article no.	Description	Quantity	Unit
1	8.758-195.0	Axle roller	1	PC
2	8.622-889.0	Bearing R6 3/8ID	2	PC
3	8.600-090.0	BEARING, .500 X 1.125 X .375 BALL 2RS	2	PC
4	8.600-110.0	Belt 180J6 MICRO-V	1	PC
5	8.622-715.0	Adapter ADAPTER, BRUSH BRG. MACHINED	1	PC
6	8.600-130.0	BRKT, BRUSH PULLEY	1	PC
7	8.600-131.0	BRKT, BRUSH HEIGHT	1	PC
8	8.600-865.0	PIN, COTTER RING 1/4 X .041 X .844	2	PC
9	8.634-224.0	SPACER, .81 X 1.06 X .125	1	PC
10	8.624-097.0	HOUSING, BRUSH, 18"	1	PC
11	8.639-674.0	LABEL, BRUSH HEIGHT	1	PC
12	8.758-934.0	Leverage complete Brush Height	1	PC
13	8.758-935.0	Support roller Assembly	1	PC
14	8.929-334.0	Roller front Link	2	PC
15	8.600-513.0	Lever HEIGHT ADJUSTMENT	1	PC
16	8.600-564.0	NUT, 10-32 HEX NYLOCK STL GR2 ZNPLT	4	PC
17	8.600-585.0	NUT, 3/8 PUSH STL	2	PC
18	8.624-941.0	PLATE, BRUSH HOUSING RH	1	PC
19	8.624-942.0	Plate BRUSH HOUSING LH	1	PC
20	8.600-593.0	Plate AXLE RETAINER	2	PC
21	8.625-068.0	PULLEY, 2.2 OD, 6GR, MICRO-V	1	PC
22	8.600-622.0	Bolt	1	PC
23	8.600-643.0	Roller 1.9 DIA X 10.5 LG	1	PC
24	8.600-651.0	SCREW, 10-32 X .625 PHFLHMS SS NP	2	PC
25	8.600-659.0	SCREW, 10-32 X .5 PHPNHMS SS NP	6	PC
26	8.600-665.0	SCREW, 10-32 X .5 PHFLHMS SS	7	PC
27	8.600-670.0	SCREW, 10-32 X .375 PHFLHMS SS	2	PC
28	8.627-553.0	SCREW, 10-24 X .5 SCHCS SS	2	PC
29	8.601-064.0	Washer #10 LOCK EXT STAR SS	4	PC
30	8.601-065.0	WASHER, .203 X .562 X .040 FLT	6	PC
31	8.600-703.0	SCREW, 1/4-20 X .625 PHTRHMS STL NP	4	PC
32	8.623-063.0	BRUSH, 18L X 3.38OD G2	1	PC
33	8.625-171.0	Tolerance ring 7/8ID X 1/2W	1	PC


9030 BRUSH ASSEMBLY

POS	Article no.	Description	Quantity	Unit
34	8.600-307.0	Clip	1	PC
35	8.600-337.0	Pinion brush	1	PC
36	8.627-833.0	SHOULDER BOLT, 3/8 X .375L SS	1	PC
37	8.627-277.0	Ring 1/2 EXT. SNAP	1	PC
38	8.627-251.0	PIN, CLEVIS 1/4 X .5 STL ZNPLT	2	PC
39	8.600-603.0	Belt pulley complete brush	1	PC
40	8.600-339.0	Pinion complete brush	1	PC
41	8.600-115.0	Brush	1	PC
42	8.600-475.0	Add-on kit adapter	1	PC




9040 PUMP

POS	Article no.	Description	Quantity	Unit
1	8.600-247.0	COUPLING, 1/4 ANCHOR W/1" HEX	1	PC
2	8.600-248.0	Connector 1/8FPT X 1/4 TUBEQC	2	PC
3	8.600-347.0	Elbow	1	PC
4	8.600-349.0	Elbow	1	PC
5	8.600-457.0	JET BODY, MINI PROMAX BODY	2	PC
6	8.600-458.0	JET, MINI PROMAX 9504	2	PC
7	8.600-564.0	NUT, 10-32 HEX NYLOCK STL GR2 ZNPLT	2	PC
8	8.602-639.0	PUMP ASM, 115V 100PSI W/CONN	1	PC
9	8.625-014.0	PLUG, 9/16 OD BLK NYLON	2	PC
10	8.627-441.0	SCREW, 10-32 X 1.25 PHPNHMS SS	2	PC
11	8.627-375.0	SCREW, 1/4-20 X .625 HHCS SS NP	2	PC
12	8.600-364.0	FITTING,1/4 TUBE,"Y~, QC	1	PC
13	8.600-836.0	TEE. 3/8MPT X 3/8 TUBE, QC	1	PC
14	8.602-694.0	Valve complete SOLENOID CLP FAMILY	1	PC
15	8.601-081.0	WASHER, 1/4 FNDR SS	2	PC
16	8.601-065.0	WASHER, .203 X .562 X .040 FLT	4	PC
17	8.601-082.0	Washer 7/16 X 3/4 X .19RUBBER	2	PC
18	8.600-559.0	Nipple 1/4 CLOSE	1	PC
19	8.600-558.0	Nipple 1/4 FPT QD	1	PC
20	8.600-350.0	Elbow	2	PC
21	8.627-429.0	SCREW, 10-32 X .375 PHPNHMS SS	2	PC
22	8.600-440.0	Hose 3/8ID NYL11 YLW X 29"	1	PC
23	8.626-740.0	WIRE, 22" GRN/18 76011 X 76011	1	PC
24	8.628-189.0	Hose 3/8ODX1/4ID URTN X 29"	1	PC
25	8.600-435.0	Hose 3/8ID NYL11 YLW X 5.75"	1	PC
26	8.628-190.0	Hose 1/4ID NYL11 YLW X 5"	3	PC
27	8.625-302.0	SCREEN, INTAKE	1	PC
28	8.619-740.0	ELBOW, 1/8NPT STREET	1	PC



9050 VACUUM SHOE

POS	Article no.	Description	Quantity	Unit
1	8.929-335.0	Bracket arm Parallel Shoe Vac	4	PC
2	8.623-476.0	COVER, ACCESSORY PORT	1	PC
3	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	4	PC
4	8.600-679.0	SCREW, 10-32 X .375 SLTDHWH STL BLKOX	2	PC
5	8.627-512.0	SCREW, 1/4-20 X .75 PHPNHMS STL ZNPLT	4	PC
6	8.600-684.0	SCREW, 1/4-20 X 1 PHFLHMS STL ZNPLT	4	PC
7	8.600-813.0	Spacer washer	8	PC
8	8.625-863.0	VAC SHOE, 18"	1	PC
9	8.600-812.0	Spring EXT .38D X2.75L X.049W	2	PC
10	8.601-063.0	WASHER, 1/4 SS	4	PC
11	8.601-070.0	WASHER, 3/8 X .75 X .125 WV	8	PC
12	8.600-378.0	Seal	1	PC




9060 CONTROL PANEL

POS	Article no.	Description	Quantity	Unit
1	8.600-124.0	Strip terminal 115V (3-4-3)	1	PC
2	8.600-198.0	BREAKER, 15A 250VAC 50VDC	1	PC
3	8.623-021.0	BREAKER, 6A VDE CIRCUIT	1	PC
4	8.600-201.0	BOOT, 3/8 CIRCUIT BREAKER	2	PC
5	8.624-089.0	Housing CLP HANDLE PIVOT	2	PC
6	8.623-432.0	CORD ASM, 14/3 X 22" YLW	1	PC
7	8.600-313.0	Contact ELECTRICAL, FLAT	3	PC
8	8.600-314.0	Contact ELECTRICAL, BENT	3	PC
9	8.600-409.0	HANDLE, CLP12 WELDED	2	PC
10	8.600-410.0	Hand grip CONTROL PANEL FRONT	1	PC
11	8.600-411.0	HANDLE, CONTROL PANEL REAR	1	PC
12	8.600-501.0	Lock HANDLE POSITION	2	PC
13	8.600-579.0	NUT, 1/2-13 HEXTHIN NYLOCK STL ZNPLT	2	PC
14	8.627-399.0	SCREW, 6-32 X .375 PHPNHMS SS	2	PC
15	8.600-567.0	NUT, 1/2-14 CONDUIT LK STL ZNPLT	2	PC
16	8.608-153.0	Plate CONTROL PANEL, CLP/ADM	1	PC
17	8.627-798.0	SCREW, 5/16-18 X .5 SCHSET CONE BLKOX	4	PC
18	8.600-714.0	Switch SPST 2-POSITION ROCKER	2	PC
19	8.600-720.0	Switch DPDT3-POSITION ROCKER	1	PC
20	8.625-618.0	STRAIN RELIEF, 1/2 NPT (.48ID)	1	PC
21	8.640-139.0	TRIGGER, SWITCH, YLW	3	PC
22	8.639-580.0	Label CONTROL PANEL, CLP/ADM	1	PC
23	8.600-576.0	NUT, 6-32 HEXSTRW LK STL ZNPLT	2	PC
24	8.627-187.0	NUT, 1/4-20 HEXTHIN NYLOCK SS	4	PC
25	8.627-651.0	SCREW, 1/2-13 X 4.75 HHCS STL GR5 ZNPLT	2	PC
26	8.622-684.0	SPRING, COMP .88D X1.4L X.100W	2	PC
27	8.600-687.0	SCREW, 10 X .5 PHPNHMS TYPEB BLK	9	PC
28	8.600-662.0	SCREW, 6-32 X .25 PHPNHMS SS	6	PC
29	8.627-902.0	WASHER, 6 EXTLK SS	2	PC
30	8.627-415.0	SCREW, 1/4-20 X 1.75 HHCS STL GR5 ZNPLT	4	PC
31	8.600-671.0	SCREW, 6-32 X 1 SLTDPNHMS BLK NP	2	PC
32	8.601-072.0	WASHER, M10 FNDR STL ZNPLT	2	PC
33	8.601-075.0	WASHER 3/8 X .497 X .022 INTLK	2	PC

9060 CONTROL PANEL

POS	Article no.	Description	Quantity	Unit
34	8.619-848.0	CLIP, POWER CORD	2	PC
35	8.623-882.0	HARNESS, MAIN CLP/ADM	1	PC
36	8.623-411.0	CORD SET,14/3 SJTW-A X 50' YLW	1	PC
37	8.627-284.0	RING, 2" DIA SPLIT	1	PC
38	8.625-617.0	Strain relief CORD HOOK	1	PC
39	8.600-312.0	Cable .06 X 40, 0707, SS	2	PC
40	8.600-683.0	SCREW, 10-32 X 1 PHPNHMS STL ZNPLT	1	PC
41	8.600-570.0	NUT, 10-32 HEXSTRW LK STL ZNPLT	3	PC
42	8.601-066.0	WASHER 1/4 EXTLK SS	6	PC
43	8.600-641.0	Ring 1/4 KLIP	2	PC
44	8.609-298.0	LEVER ASM, CLP HANDLE ADJ	1	PC
45	8.600-679.0	SCREW, 10-32 X .375 SLTDHWH STL BLKOX	5	PC
46	8.600-287.0	CORD, 1/8" X 12~	1	PC
48	8.600-237.0	Clamp 7/16 DIA NYLON UL	1	PC
49	8.624-504.0	Label ground symbol	1	PC
50	9.802-695.0	NUT, 10/32" KEPS	1	PC




9070 SOLUTION TANK & VACUUM

POS	Article no.	Description	Quantity	Unit
1	8.623-314.0	CLAMP, 2.0" WORM GEAR	2	PC
2	8.623-315.0	CLAMP, 3/8 HOSE (D-SLOT)	1	PC
3	8.600-308.0	Cover plate	1	PC
4	8.600-309.0	Cover plate	1	PC
5	8.623-550.0	ELBOW, 3/8MPT X 3/8TUBE PLSTC	1	PC
6	8.600-379.0	Seal	2	PC
7	8.600-392.0	Seal	2	PC
8	8.628-188.0	HOSE, 1/2 IDX.09W CLR X 12.5"	1	PC
9	8.624-010.0	Hose 1.5 BLK VAC X 5.0	1	PC
10	8.600-434.0	Hose assembly 1.5 BLK VAC X 15.5	1	PC
11	8.624-098.0	Housing VAC MOTOR	1	PC
12	7.777-999.0	Stockpiling discontinued	1	PC
Item text1: SERVICE ONLY				
12	8.602-688.0	VAC MOTOR ASM, CLP FAMILY	1	PC
13	8.627-569.0	SCREW, 10-16 X 1 PHPNH HL	6	PC
14	8.603-228.0	TANK, CLP SOLUTION	1	PC
15	8.625-907.0	VENT, COOLING AIR LARGE	1	PC
16	8.601-065.0	WASHER, .203 X .562 X .040 FLT	8	PC
17	8.600-797.0	Strainer 3/8 IN. NPT 60 MESH	1	PC
18	8.601-063.0	WASHER, 1/4 SS	3	PC
19	8.622-374.0	SCREW, 1/4-20 X .59 PHPNHMS SS	3	PC
20	8.623-326.0	CLAMP, 3.5" WORM GEAR	1	PC
21	8.600-395.0	Seal	1	PC
22	8.600-396.0	Seal	1	PC
23	8.600-397.0	Seal	1	PC
24	8.619-794.0	HOSEBARB, 3/8MPTX1/2 90D DL	1	PC
25	8.600-660.0	SCREW, 10-16 X .75 PHPNH HL SS	2	PC
26	8.626-069.0	HOSE ASM, FCT ADPTR X 60"	1	PC
27	8.600-287.0	CORD, 1/8" X 12~	1	PC
28	8.619-792.0	HOSEBARB, 1/2MPT X 3/8 NYL DL	1	PC
29	8.623-479.0	COVER, CLP SOLUTION	1	PC
30	8.624-606.0	LANYARD, 1/4RING X 2.6"	1	PC
31	8.623-309.0	CLAMP, 1/4 ID HOSE	1	PC

9070 SOLUTION TANK & VACUUM

POS	Article no.	Description	Quantity	Unit
32	8.639-582.0	LABEL, CLIPPER SIDE	2	PC
33	8.639-540.0	LABEL, WINDSOR LOGO DOMED	1	PC
34	8.602-668.0	TANK ASM, SOLUTION CLP12	1	PC
Item text1: INCLUDES 5, 7, 14, 17, 21, 22, 23, 24				



9080 RECOVERY TANK

POS	Article no.	Description	Quantity	Unit
1	8.600-240.0	Clamp 2.0" WORM GEAR X .312W	1	PC
2	8.623-314.0	CLAMP, 2.0" WORM GEAR	1	PC
3	8.600-333.0	DOME ASM, S/C EXTRACTORS	1	PC
4	8.600-311.0	Cover plate	2	PC
5	8.623-528.0	DOME, S/C EXTRACTORS	1	PC
6	8.600-363.0	Float SHUT-OFF	1	PC
7	8.600-391.0	GASKET, DOME	1	PC
8	8.600-393.0	Seal	2	PC
9	8.600-420.0	Hose 1.5 X 12" DRAIN	1	PC
10	8.600-451.0	Hose INSERT	1	PC
11	8.640-140.0	HOSE, CAP, YLW	1	PC
12	8.600-660.0	SCREW, 10-16 X .75 PHPNH HL SS	6	PC
13	8.603-229.0	TANK, CLP RECOVERY	1	PC
14	8.600-137.0	BRKT, HOSE HOOK	1	PC
15	8.600-287.0	CORD, 1/8" X 12~	1	PC
16	8.643-150.0	Label QR code Clipper 12	1	PC

9090 WIRING DIAGRAM - CLIPPER 12 115V

POS	Description	Quantity	Unit
10	WIRING DIAGRAM PAGE	1	PC
