
# Oblendtec. COMMERCIAL



COMMERCIAL CATALOG 2023

# THE BLENDTEC DIFFERENCE





Durable, NSF Certified Jar Lightweight, stackable jars feature an innovative design that increases blending efficiency and reduces overall blending time.



Blunt Safety Blade Built to last, our blunt blade technology is stronger than traditional blades and without any sharp edges.



Hardened Metal Drive Socket Unlike other brands with plastic drive sockets that break easily, our steel drive sockets are virtually indestructible



High-Speed Commercial Motor A durable, high-speed motor, designed for hundreds of blends a day brings power to high-volume commercial kitchens.



Easy-Clean Interface User-friendly interface offers one-touch blending for easy clean-up and consistent results.

# BLENDERS





# STEALTH NITROX

CQB3 STEALTH NITRO X







# STEALTH® NITRO



**MOTOR** 1800 Watt, 120V / 240V available

Illuminated OLED display with **INTERFACE** tactile keypad

**WEIGHT** 15.8 lbs (7.2 kg)

**SOUND ENCLOSURE** 

**PROGRAM CYCLES** 

Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps blender operate at the sound level of normal

conversation.

Recommended daily **USAGE** blends: 200

42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online

tool.

H: 17.3" (43.9 cm) **DIMENSIONS** D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and **CERTIFICATIONS** CSA safety standards as well as

NSF sanitation standards.

## **ALL NEW TITAN X MOTOR**

Introducing the new Titan X motor from Blendtec® built to be quieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks guicker, and use less power. The Dynamic Braking system stops the blender jar blade instantly, allowing you to remove the blender jar quickly. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating. The blender is equipped with a separate fan to keep the motor cool.

## **NBS RINGS**

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO\* cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec® team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.





# **CREATE A CONVERSATION-**FRIENDLY ATMOSPHERE

The Stealth® Nitro X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.



# JARLESS BLENDING, THE FOREFRONT OF INNOVATION

Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System® minimizes waste, saves time, and increases your profit margin. Each Stealth® Nitro X

comes with two micronizers and two cup stands - two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micrconizers - perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.

FROTHING MICRONIZER







# STEALTH NITRO

CQB2 STEALTH 895 NBS







# STEALTH NIRO



MOTOR 1800 Watt, 120V / 240V available

INTERFACE Illuminated OLED display with tactile keypad

**WEIGHT** 15.8 lbs (7.2 kg)

Fully enclosed, easy-to-clean

**SOUND ENCLOSURE** 

**PROGRAM CYCLES** 

blending station. Advanced sound enclosure helps blender operate at the sound level of normal conver-

sation.

**USAGE** Recommended daily

blends: 200

42 Preprogrammed blend cycles, including 2 for the NBS attachment. Create custom or update included blend cycles via Blendtec's Blend Wizard™ online

tool.

H: 17.3" (43.9 cm) **DIMENSIONS** D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and CERTIFICATIONS CSA safety standards as well as

NSF sanitation standards.

# STEALTH® TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® Nitro includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

## **NBS RINGS**

Every unit comes with four standard rings that fit 12 oz., 16 oz., 24 oz., and 32 oz. SOLO\* cups. Engineered to create a vacuum seal, each ring fits perfectly with its designated cup. Don't use SOLO cups for your business? No problem. The Blendtec® team is standing by, ready to make custom rings that fit almost any plastic or metal cup from 12-32oz.



# BUILT TO SAVE TIME AND MONEY

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom delivers simple operation and is designed to reduce overall cost.

# JARLESS BLENDING, THE FOREFRONT OF INNOVATION

Why waste ingredients when you can have amazingly proportioned drinks and smoothies blended right in the cup you give your customer? The Nitro Blending System® minimizes waste, saves time, and increases your profit margin. Each Stealth® Nitro comes with two micronizers and two cup stands - two wingtip blade micronizers for pulverizing ingredients into silky-smooth single-serve drinks, or two frothing blade micrconizers perfect for whipping, frothing or emulsifying milks and creams for coffee and other beverages.



FROTHING MICRONIZER









# **STEALTH** X

CQB3 STEALTH X





# STEALTH



**MOTOR** 1800 Watt. 120V / 240V available

Illuminated OLED display with **INTERFACE** 

tactile keypad

WEIGHT 18.1 lbs (8.21 kg)

Fully enclosed, easy-to-clean blending station. Advanced sound **SOUND ENCLOSURE** enclosure helps blender operate at the sound level of normal

conversation.

Recommended daily **USAGE** 

blends: 200

42 Preprogrammed blend cycles. Create custom or update included **PROGRAM CYCLES** 

blend cycles via Blendtec's Blend

Wizard™ online tool.

H: 17.3" (43.9 cm) **DIMENSIONS** D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and **CERTIFICATIONS** 

CSA safety standards as well as

NSF sanitation standards.

## **ALL NEW TITAN X MOTOR**

Introducing the new Titan X motor from Blendtec® - built to be guieter, run cooler, and with a longer life than any motor before it. Internal motor brushes have been replaced with electronics to increase the lifetime of the motor, give more output and torque to make drinks quicker, and use less power. The Titan X is also equipped with dynamic braking, allowing the operator to remove the jar without waiting for the blade to stop spinning. Take advantage of less downtime by cutting out the need to replace machines and make more drinks without overheating - the blender even cools itself without running!

# STEALTH TECHNOLOGY HELPS CREATE A CONVERSATION-FRIENDLY ATMOSPHERE

The Stealth® X includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

# **CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS**

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend Wizard™, then store up to 14 on the blender for one-touch operation.



NSF APPROVED WILDSIDE®+ JAR 14 SECONDS TO AN AMAZING BLENDED DRINK











# STEALTH

CQB1 STEALTH 885





# STEALTH



MOTOR 1800 Watt, 120V / 240V available

Illuminated OLED display with **INTERFACE** 

tactile keypad

**WEIGHT** 18.1 lbs (8.21 kg)

Fully enclosed, easy-to-clean blending station. Advanced sound **SOUND ENCLOSURE** enclosure helps blender operate at the sound level of normal

conversation.

Recommended daily blends: 200 **USAGE** 

42 Preprogrammed blend cycles. Create custom or update included **PROGRAM CYCLES** 

blend cycles via Blendtec's Blend

Wizard $^{TM}$  online tool.

H: 17.3" (43.9 cm)

**DIMENSIONS** 

D: 9.0" (22.9 cm)

W: 8.6" (21.8 cm)

Conforms to applicable UL and **CERTIFICATIONS** CSA safety standards as well as

NSF sanitation standards.

## **BUILT TO SAVE TIME AND MONEY**

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

# STEALTH TECHNOLOGY HELPS CREATE A **CONVERSATION-FRIENDLY ATMOSPHERE**

The Stealth® includes a sleek sound enclosure and proprietary airflow innovations that enable operation at the sound level of a normal conversation.

# **CUSTOMIZABLE CYCLES PROVIDE CONSISTENT RESULTS**

In addition to 42 preprogrammed cycles, users can create custom blends with the online Blend Wizard™, then store up to 14 on the blender for one-touch operation.













# CONNOISSEUR® 825

ICB5 CONNOISSEUR 825





# CONNOISSEUR 825



MOTOR 1800 Watt, 120V / 240V available

**INTERFACE** LCD display, push-button controls

**WEIGHT** 18.4 lbs (8.34 kg)

Fully enclosed, easy-to-clean blending station. Advanced sound enclosure helps reduce noise for

quieter blending.

**USAGE** Recommended daily blends: 150

PROGRAM CYCLES

42 Preprogrammed blend cycles.

Create custom or update included blend cycles via Blendtec's Blend

Wizard<sup>™</sup> online tool.

H: 18.7" (47.5 cm) **DIMENSIONS**D: 9.0" (22.9 cm)

W: 9.0" (22.9 cm)

Conforms to applicable UL and CERTIFICATIONS CSA safety standards as well as

NSF sanitation standards.

**OPTIONS** In-counter version available



# COUNTER-TOP AND IN-COUNTER OPTIONS CUSTOM FOR YOUR BUSINESS

## **BUILT TO SAVE TIME AND MONEY**

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

# CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

# SOUND ENCLOSURE REDUCES BLENDING NOISE

For shops where noise is a consideration, the sound enclosure minimizes blender noise, helping create a more conversation-friendly atmosphere.



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK











# CONNOISSEUR™825 SS

ICB5 CONNOISSEUR 825 SPACESAVER







MOTOR 1800 Watt. 120V / 240V available

**INTERFACE** LCD display, push-button controls

WEIGHT 13.1 lbs (5.94 kg)

42 Preprogrammed blend cycles. Create custom or update included **PROGRAM CYCLES** blend cycles via Blendtec's Blend

Wizard<sup>™</sup> online tool.

USAGE Recommended daily blends: 150

H: 16.25" (41.275 cm) **DIMENSIONS** 

D: 8.25" (20.96 cm)

W: 6.25" (15.88 cm)

Conforms to applicable UL and **CERTIFICATIONS** CSA safety standards as well as

NSF sanitation standards.

**OPTIONS** In-counter version available



# COUNTER-TOP AND IN-COUNTER **OPTIONS CUSTOM FOR YOUR BUSINESS**

## **BUILT TO SAVE TIME AND MONEY**

All Blendtec® blenders are built to meet the unique needs of the commercial customer. Each feature - from top to bottom - delivers simple operation and is designed to reduce overall cost.

# **CUSTOMIZABLE PREPROGRAMMED CYCLES FOR CONSISTENT RESULTS**

42 preprogrammed cycles blend your most popular recipes with amazing consistency, and our downloadable tool allows you to create an unlimited number of customized recipes.

# POWERFUL, ULTRA HIGH-SPEED MOTOR

The Connoisseur<sup>™</sup> 825 Spacesaver<sup>®</sup> boasts one of the largest, most powerful motors in the industry. This commercial-grade motor is built to last and has the power needed to handle the job.



NSF APPROVED WILDSIDE®+ JAR 14 SECONDS TO AN AMAZING BLENDED DRINK











# JARS







# ERGO JAR







# ERGO JAR



## **BALANCED AND ERGONOMIC**

Blendtec® continually makes innovating strides to meet the needs of the industry. Designed with your employees in mind, our Ergo Jar™ is no exception. The morning smoothie rush will fly by with ease as the lower handle provides improved balance and operator ease of use.

## LOWERED CENTER OF GRAVITY

The placement of the Ergo Jar<sup>™</sup> handle reduces stress and strain on the operator's wrist, while the added thumb rest provides a great grip.

**CUSTOMIZE** 

Custom jar graphics, label your

jars, add your logo.

**SAFE AND STRONG** 

Made from durable Tritan<sup>™</sup>. These jars were built to last.

**VERSATILITY** 

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)

For sound enclosure models only



**CONE LID** 

For more accuracy when adding liquids mid-blend



NSF APPROVED ERGO™ JAR **14 SECONDS**TO AN AMAZING BLENDED DRINK



STRONGER
THAN TRADITIONAL BLADES



REDESIGNED HANDLE PLACEMENT

ERGONOMIC DESIGN

REDUCES STRESS AND STRAIN







# WILDSIDE\*+ JAR

40-545







# WILDSIDE\* JAR



## A FIVE-SIDED REVOLUTION

An exclusive large capacity, square design with a fifth side that produces thicker, faster blending and shorter customer wait times. It's extra-wide base, along with a more aggressive blade nearly 4 inches long, has helped the WildSide®+ jar to raise the bar in the commercial blending category.

**CUSTOMIZE** 

Custom jar graphics, label your jars, add your logo.

SAFE AND STRONG

Made from durable Tritan<sup>™</sup>. These iars were built to last.

VERSATILITY

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)
For sound enclosure
models only



**CONE LID**For more accuracy when adding liquids mid-blend



NSF APPROVED WILDSIDE®+ JAR

14 SECONDS

TO AN AMAZING BLENDED DRINK



STRONGER
THAN TRADITIONAL BLADES



EASTMAN TRITAN™
MAKES THESE JARS LAST







# WILDSIDE\*+ COLOREDJAR

40-545













# SAFER FOR YOUR CUSTOMERS **EASIER FOR YOUR EMPLOYEES**

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

**CUSTOMIZE** 

Custom jar graphics, label your jars, add your logo

**SAFE AND STRONG** 

Reduce risk of allergen exposure by using separate color-coded containers.

**VERSATILITY** 

Lids can also be color-coded and labeled (hard lids only)

## **FASTER AND EASIER TO USE**

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

# **USE YOUR OWN BRANDING OR DESIGN**

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.



**REDUCE RISK COLOR-CODED** FOR EASY REFERENCE



**EXTREMELY DURABLE** MAKES THESE JARS LAST





LATCHING LID Preferred for non-sound enclosure models



FLAT (HARD & SOFT)

For sound enclosure models only







# FOURSIDE JAR

40-541







# FOURSIDE JAR



# THE TRUSTED ORIGINAL

The FourSide  $Jar^{TM}$  has a square shape and patented single-prong wingtip blade create a better blending vortex to micronize ingredients. This smaller jar is perfect for eateries that sell lower volumes of blended product.

**CUSTOMIZE** 

Custom jar graphics, label your jars, add your logo.

SAFE AND STRONG

Made from durable Tritan<sup>™</sup>. These jars were built to last.

**VERSATILITY** 

Blend smoothies, soups, frozen drinks, etc. Keeps your menu offering fresh.





**LATCHING LID** Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)** For sound enclosure models only



**CONE LID** For more accuracy when adding liquids mid-blend



NSF APPROVED FOURSIDE JAR™ 14 SECONDS TO AN AMAZING BLENDED DRINK



**BLUNT BLADE TECHNOLOGY** STRONGER THAN TRADITIONAL BLADES



**EXTREMELY DURABLE EASTMAN TRITAN™** MAKES THESE JARS LAST







# FOURSIDE COLORED JAR

40-541







# FOURSIDE COLORED







# SAFER FOR YOUR CUSTOMERS EASIER FOR YOUR EMPLOYEES

Keep everyone safe by avoiding cross-contamination of allergens. For example, use the red jar and lid for soy products and the yellow jar and lid for non-dairy. These jars and lids are NSF certified.

**CUSTOMIZE** 

Custom jar graphics, label your jars, add your logo

**SAFE AND STRONG** 

Reduce risk of allergen exposure by using separate color-coded containers.

**VERSATILITY** 

Lids can also be color-coded and labeled (hard lids only)

## **FASTER AND EASIER TO USE**

Colored jars and lids make it easier for your employees to know which jar to use for specific blends. Prevent cross-contamination and focus on meeting individual customer needs.

# **USE YOUR OWN BRANDING OR DESIGN**

Make any of our clear or colored jars your own with custom logos or markings. Using Blendtec® colored jars and lids adds a splash of color to draw attention to your blend or brand.



REDUCE RISK

COLOR-CODED
FOR EASY REFERENCE



EASTMAN TRITAN™
MAKES THESE JARS LAST



STRONGER
THAN TRADITIONAL BLADES



LATCHING LID
Preferred for non-sound
enclosure models



FLAT (HARD & SOFT)
For sound enclosure
models only







# TWISTER JAR

40-543





# TWISTER JAR™





## **EVERY LAST MORSEL**

The Twister Jar<sup>™</sup> effortlessly blends your thickest recipes in seconds. The unique twister lid uses special scrapers to pull dense, thick ingredients away from the wall of the jar and back into the blade. Simply add ingredients and twist the lid while blending.

## **SMALLER BLENDS**

Meant for smaller and tougher blends, the Twister Jar<sup>™</sup> is ideal for recipes that call for more stubborn ingredients, such as acai breakfast bowls, thick milkshakes, nut butters, hummus - even bread & cookie crumbs.







MINI GRIPPER LID



**SPECTACULA** 

**WEIGHT** 1.3 lbs (0.59 kg)

Blend nut butters, hummus,

**VERSATILITY** sorbets, etc. Keeps your menu

offering fresh.

H: 7.5" (22.86 cm) **DIMENSIONS** 

D: 5.7" (14.02 cm)

Made from durable Tritan<sup>™</sup>. These SAFE AND **STRONG** 

jars were built to last.



 $NSF\ APPROVED\ TWISTER\ JAR^{\text{TM}}$ 14 SECONDS
TO AN AMAZING BLENDED DRINK



**BLUNT BLADE TECHNOLOGY** THAN TRADITIONAL BLADES









# FROTHING JAR

40-541







# FROTHING **FROTHING**

# **ROOM TO BREATHE**

2 quarts of total volume provides a huge capacity for producing frothed liquids and foam. Instead of repeatedly creating single servings, you can now produce in batches and serve several customers at once.

# **WAVE OF THE FUTURE**

Our stainless steel blade features a "wave" blend which enhances the frothing capability - easily doubling the volume of many liquids. The blade works great for cold foam coffee, non-dairy milks, whipping cream, hot chocolate, syrup and more!

Quick and effective way to froth **USAGE** 

or aerate liquids

2-7/8 diameter 300 series stain-**BLADE** less steel blade with "wave" blend

Total Volume = 2 Quarts VOLUME

Starting liquid volume = 32 ounces



**LATCHING LID** Preferred for non-sound enclosure models



**FLAT (HARD & SOFT)** For sound enclosure models only



**CONE LID** For more accuracy when adding liquids mid-blend



**VIEW FROM THE TOP**Blendtec's innovative frothing blade







# RAPID RINSER

JRE-513







RAPID AND SINGE



## **EASY AND VERSATILE**

Use the Rapid Rinse Station to rinse any container with a diameter of 8" or less. Pitchers, blender jars, measuring devices - anything! A gentle push on the platform is all it takes to activate the spray.

## **DURABLE CONSTRUCTION**

The Rapid Rinse<sup>™</sup> Station is made of chemical-resistant plastic. A stainless steel spray nozzle ensures long-lasting operation.

# **SMART DESIGN**

Compact and low-profile, the Rapid Rinse<sup>™</sup> fits neatly next to your Blendtec blender or dispenser. It features a closed valve system that prevents water leakage when water pressure drops.



**EASY** Simple to disassemble and clean

**CONTROL** Easy one-push operation

**SAFE & STRONG** Stainless steel nozzle for long-last-

ing operation

**VERSATILITY** Effective for rinsing any container

of 8" diameter or smaller

**WEIGHT** 8.5 lbs (39 kg)

H: 7.5" (19.1 cm)

**DIMENSIONS** D: 20.5" (52.1 cm)

W: 8.8" (22.2 cm)

**OPTIONS** Rinser Only or Ergonomic Version

with Quick Disconnect

**CERTIFICATIONS** NSF, Model JRE



EXPANDABLE COVERAGE

30% MORE COVERAGE

COMPARED TO OTHER RINSERS



EASY TO OPERATE FUNCTIONALITY

1 PUSH OPERATION
SIMPLE AND QUICK TO USE



STACKABLE DRYING RACK

DRY AND STORE
KEEPS YOUR KITCHEN ORGANIZED







# DISPENSERS

















# THE SMARTEST, SIMPLEST WAY TO CREATE **FROZEN DRINKS**

Forget the ice scoops and measuring cups. This includes everything necessary for your complete blended drink program. With the touch of a few buttons, employees will quickly and consistently blend dozens of high-margin smoothies, coffee treats, and blended alcoholic beverages.

# A GREAT SOLUTION FOR CONSISTENCY AT HIGH-**VOLUME LOCATIONS**

In a busy food service environment, speed and consistency are everything. We designed the superhigh-powered BDI™ to deliver it all at the touch of a button. So employees can focus on serving customers while the BDI™ does all the work, blending two or more frozen drinks per minute, when making doubles or triples.

## ADD DOZENS OF HIGH-MARGIN MENU ITEMS

Dispensing up to eight different shelf stable, bag-in-thebox products at a time, the BDI™ is the all-in-one way to instantly expand your drink menu offering. Achieve a consistent mix of up to 64 different flavor combinations. There's sure to be a favorite for each and every customer!

**BLENDER MOTOR** 1800 Watt. 120V / 240V available

> Easy to clean tactile buttons allow **CONTROLS**

for quick use

**WEIGHT** 96.0lbs (43.54kg)

Fully enclosed, easy-to-clean

blending station. Advanced sound enclosure helps reduce noise for

quieter blending.

**DRINK COMBINATIONS** 64 drink combinations

> **CERTIFICATIONS** NSF, ETL

**SOUND ENCLOSURE** 

H: 32.0" (81.3 cm)

**DIMENSIONS** D: 21.0" (53.3 cm)

W: 12.0" (30.5 cm)

Shelf-stable syrups and **PRODUCT** 

iuices



# 8 DISPENSING LINES **64 COMBINATIONS**





**ULTRA HIGH-SPEED MOTOR 1800 WATTS** BLENDS THE TOUGHEST INGREDIENTS





Oblendtec. **NSF APPROVED** YEAR WARRANTY



# **2023 COMMERCIAL BLENDERS**









	STEALTH'NITRO / NITRO X	STEALTH" / X	CONNOISSEUR 825	CONNOISSEUR 825 SPACE SAVER
WATTAGE	1800	1800	1800	1800
RECOMMENDED BLENDS PER DAY	200	200	150	150
BEVERAGE BLENDING	<b>Ø</b>	<b>Ø</b>	<b>Ø</b>	
FOOD PREP				
INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE	EASY-CLEAN TACTILE INTERFACE
PROGRAMMABLE	+BLEND WIZARD™	+BLEND WIZARD™	+BLEND WIZARD™	+BLEND WIZARD**
SOUND ENCLOSURE	+STEALTH TECHNOLOGY	+STEALTH TECHNOLOGY	<b>Ø</b>	
PROGRAMS + CYCLES	42 + PULSE	42 + PULSE	42 + PULSE	42 + PULSE
DIMENSIONS	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 17.3" (43.9cm) D: 9.0" (22.9cm) W: 8.6" (21.8cm)	H: 18.7" (43.9cm) D: 9.0" (22.9 cm) W: 9.0" (22.9 cm)	H: 16.25" (41.28 cm) D: 8.25" (20.96 cm) W: 6.25" (15.88 cm)
WEIGHT	15.8 LBS (7.2 kg)	18.1 LBS (8.2 kg)	18.4 LBS (8.3 kg)	13.1 LBS (5.9 kg)
WARRANTY	NITRO X - 4 YEARS NITRO - 3 YEARS	STEALTH X - 4 YEARS STEALTH - 3 YEARS	3 YEARS	3 YEARS



# Oblendtec. COMMERCIAL

www.blendtec.com









