BLIXER[®]

A

B

robot @ coupe°

Blixer[®] 6 V



SALES FEATURES

Blixer 6V is designed to prepare texture-modified meals with either raw and cooked ingrediants in a minimum of time.

TECHNICAL FEATURES

Blixer 6 V. Single-phase. Power: 3 HP. Variable speed: 370-3450 rpm. 7 Qt. stainless-steel bowl with handle, plus bowl-base, fine-serrated, twin-blade assembly. Totally leakproof lid with scraper arm. 3 - 23 portions (7 oz).

Select your options at the back page, F part.

ТС			
C TECHNICAL DATA			
Output power	3 HP		
Electrical data	120V/60/1		
Variable speed	370-3450 rpm		
Dimensions (WxDxH)	20 13/16" × 14 7/16" × 11"		
Rate of recyclability	95%		
Net weight	78 lbs		
Nema #	5-15P		
Reference	BLIXER 6 V - 120V/60/1		

D

Number of 7 oz portions per service



Amount processed per operation

1 to 8 lbs

PRODUCT FEATURES / BENEFITS

MOTOR UNIT

E

- Industrial direct-drive (no belt) induction motor designed for intensive use
- Power 3 HP
- Stainless-steel motor shaft
- All-metal motor base
- Magnetic safety system, thermal failsafe
- Variable speed 370-3450 rpm

BLIXER® FUNCTION

- 7 Qt. stainless-steel bowl with handle for better grip.
- **Bowl-base blade assembly** with two high-strength, stainlesssteel, fine-serrated blades for homogeneous processing – even for small amounts.
- **Central lid opening** for adding liquid or solid ingredients during processing.
- High heat and shock-resistant **see-through lid** to monitor processing from start to finish.
- Leakproof lid and bowl unit with bowl scraper arm and lid wiper.
- All parts are dishwasher-safe and can easily be removed for cleaning.

STANDARD ATTACHMENTS

- 7 Qt. bowl with lid.
- Bowl scraper arm and lid wiper.
- Blade assembly with two fine-serrated, stainless-steel blades and a detachable cap.

STANDARDS ETL electrical and sanitation Listed/ cETL (Canada)



Specification sheet

www.robotcoupeusa.com

Update : November 2014

Robot Coupe USA, Inc. 264 South Perkins - Ridgeland, MS 39157 PH: 601-898-8411 - Toll free: 800-824-1646 - Fax: 601-898-9134 info@robotcoupeusa.com

BLIXER[®]

F

robot @ coupe°

Blixer[®] 6 V


OPTIONAL ATTACHMENTS	OPTIC	NAL A1	ΤΑCΗΛ	AENT
----------------------	-------	--------	-------	-------------

• Fine serrated edge stainless steel "S" blade assembly Ref. 27169

• 7 Qt. Stainless steel bowl assembly - Ref. 27166

ELECTRICAL DATA

120V/60/1 - delivered with cord and plug.



Blixer[®] 6 V

G