









OFTEN IMITATED, NEVER DUPLICATED

The industry standard upright vac with automatic brush-height adjustment

Often imitated, never duplicated.

With a proven reputation of reliability, performance, and ease of maintenance the Sensor® XP is the industry-leading vacuum for reliability and convenience. Featuring automatic brush-height adjustment, this machine efficiently removes soils that could ruin your carpets and hard floors, which saves you time and money. Trust the Windsor Kärcher Group Sensor® XP to clean your floors efficiently and reliably for many years to come. With 1200 watts of power, the Sensor® XP's vacuum motor pulls even more dirt and grime from your carpets. This machine utilizes a single 1.6 hp motor to cut down on handle weight in order to reduce operator fatigue and increase productivity.









1 Reliability leader

- Industry-proven track record of durability and reliability
- We have been building quality upright vacuums since 1979

2 Productivity in mind

- Automatic brush-height adjustment to for optimum cleaning performance
- Ultra-light handle weight allows for strain-free operation
- Cleaning paths of 12", 15" and 18" are available to suit any need
- Flat-to-floor feature allows for easy cleaning under beds and furniture
- No-tool brush removal for easy maintenance
- Detail cleaning tools conveniently located on the back of the machine

3 Breathe easier

- The Sensor* XP comes standard with a high-efficiency filter that traps up 99.6% of particles at 0.3 microns
- Optional HEPA filtration is available
- Meets CRI standards for indoor air quality

4 Smart vacuuming

- Equipped with indicator lights to notify if the vacuum bag is full, brush height needs adjustment, or if there is a brush jam
- Machine shuts down if indicator light are ignored for self-preservation
- Quiet operation at only 69 dBA

Technical specifications and order numbers.











SENSOR® XP 12

SENSOR® XP 15

SENSOR® XP 18

TECHNICAL SPECIFICATIONS Cleaning path in 12 15 18 Productivity (practical) (XP 12/XP 15/XP 18) ft²/hr 2,655 3,451 3,659 Dust bag (triple layer) in³ 323 323 323 Brush motor hp 1.6 1.6 1.6 Brush speed rpm 2,70 2,700 2,700 Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight lbs 18 18 19 Height in 46 46 46					
Productivity (practical) (XP 12/XP 15/XP 18) ft²/hr 2,655 3,451 3,659 Dust bag (triple layer) in³ 323 323 323 Brush motor hp 1.6 1.6 1.6 1.6 Brush speed rpm 2,70 2,700 2,700 2,700 Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight lbs 18 18 19	TECHNICAL SPECIFICATIONS				
Dust bag (triple layer) in³ 323 323 323 Brush motor hp 1.6 1.6 1.6 Brush speed rpm 2.70 2.700 2.700 Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight Ibs 18 18 19	Cleaning path	in	12	15	18
Brush motor hp 1.6 1.6 1.6 Brush speed rpm 2.70 2.700 2.700 Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight Ibs 18 18 19	Productivity (practical) (XP 12/XP 15/XP 18)	ft²/hr	2,655	3,451	3,659
Brush speed rpm 2,70 2,700 2,700 Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight Ibs 18 18 19	Dust bag (triple layer)	in³	323	323	323
Brush contacts per minute # 5,400 5,400 5,400 Operating noise level dBA 69 69 69 Power cord ft 40 40 40 40 Weight Ibs 18 18 19	Brush motor	hp	1.6	1.6	1.6
Operating noise level dBA 69 69 69 Power cord ft 40 40 40 Weight lbs 18 18 19	Brush speed	rpm	2,70	2,700	2,700
Power cord ft 40 40 40 Weight lbs 18 18 19	Brush contacts per minute	#	5,400	5,400	5,400
Weight Ibs 18 18 19	Operating noise level	dBA	69	69	69
•	Power cord	ft	40	40	40
Height in 46 46 46	Weight	lbs	18	18	19
	Height	in	46	46	46

EQUIPMENT

_ ,		
Order No.	Description	
1.012-024.0	Sensor® XP 12, 120 V/60 Hz	
1.012-027.0	Sensor* XP 15, 120 V/60 Hz	
1.012-030.0	Sensor® XP 18, 120 V/60 Hz	

ACCESSORIES

	Order No.	Description
•	8.600-050.0	Package of 10 Sensor® dust bags
	9.840-643.0	Case of 25 packs of 10 Sensor® dust bags (total count = 250)
	8.600-522.0	Replacement 0.3 micron Sensor® Air Quality MicroFilter
	8.628-485.0	Sensor® HEPA filter kit (includes: filter and 8 high efficiency bags)
	8.614-145.0	Replacement Sensor® exhaust filter for Sensor® XP
	8.614-140.0	Replacement exhaust filter for Sensor® S
	8.600-495.0	Replacement double row brush for Sensor* XP 12 and Sensor* S 12
	8.613-881.0	Replacement double row brush for Sensor® XP 15
	8.613-877.0	Replacement double row brush for Sensor® XP 18
	8.614-243.0	Replacement Sensor® gray handle with cable
	8.614-086.0	Crevice nozzle
	8.613-769.0	Sensor* extension hose
	8.614-090.0	Sensor® demonstration dirt scope
	8.628-474.0	Dusting brush kit, includes: dusting brush and holding clip to mount on handle
	8.625-413.0	Sensor® 12 Soft Vac cover

 $[\]blacksquare$ Included \square Optional

Please contact us for more information:

North America

4555 Airport Way Denver, CO 80239 U.S.A.

Phone +1 800 444-7654 Fax +1 866 271-0520

Canada

6535 Millcreek Drive Unit 67 Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233 Fax +1 905 672-3155

www.windsorkarchergroup.com