

Lexington Home Brands

Care and Maintenance Information

Fine home furnishings are designed and crafted for lasting enjoyment. As with any quality product, care and maintenance are critical to ensuring that longevity. The following are recommendations for the various materials and finishes in the Lexington Home Brands product assortment.

FURNITURE, STONE, and METAL CARE

- Dust with a clean microfiber or lint-free cloth, rubbing with the grain
- Avoid using furniture waxes, polishes or oils that can build up on surfaces
- Clean surfaces with mild soap and water, drying immediately afterward
- Wipe up spills or smudges immediately
- Protect surfaces from scratches using felt pads, placemats, or tablecloths
- Never set drinks or liquids directly on surfaces
- Do not leave plastic or rubber materials on surfaces
- Avoid prolonged exposure to direct sunlight or heat sources
- Avoid contact with hot dishes or objects
- Avoid contact with solvents like nail polish remover or alcohol
- Do not use cleaners on metal, brass, or stone items

FABRIC and LEATHER UPHOLSTERY CARE

- Avoid placing furniture in direct sunlight or near a heat source
- Vacuum furniture to prevent the accumulation of dust or debris
- Flip cushions and pillows regularly to keep filling equally distributed
- Fluff pillows after use to maintain shape
- Never remove cushion covers for cleaning
- Never put cushion covers into a washer or dryer
- All fabrics and leather have specific cleaning codes
- Visit lexington.com/care-and-maintenance for details
- Use a professional cleaning service whenever possible
- Allowing pets on upholstery will void the fabric warranty

FABRIC UPHOLSTERY

Fabrics are classified into one of four categories for the purpose of care and cleaning. This code is noted on each fabric swatch. Cleaning methods are suggested by the fabric manufacturer. Lexington Home Brands is not responsible for a failure to clean using these methods. It is always recommended to contact a cleaning professional for the best results.

W – Clean only with water-based shampoo or foam upholstery cleaner. Do not saturate. Do not use solvents to spot clean. Pile fabrics may require brushing to restore appearance.

S – Clean only with dry-cleaning solvent. Do not saturate. Do not use water. Pile fabric may require brushing to restore appearance.

SW – Clean with shampoo or dry-cleaning solvents as desired. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance.

X – Do not clean with either water or solvent-based cleaner. Use vacuuming or light brushing only.

LEATHER UPHOLSTERY

Leather is classified into one of three categories – **Aniline**, **Semi-Aniline**, or **Protected**. Lexington's leather samples are marked with the corresponding first initial indicating the suggested cleaning code.

General Care:

- Protect from sunlight, as exposure over time will cause fading.
- Always maintain at least two feet of space between leather furniture and any heating source, such as vents or radiators. This helps prevent the leather from drying out over time.
- To remove accumulated surface dust, vacuum or wipe with a clean white cloth on a weekly basis.
- For oil, butter, or grease stains, absorb any excess with a clean dry cloth. Then leave the stain alone. If it does not dissipate completely, it will become part of the leather's unique characteristics.
- Never use saddle soaps, cleaning solvents, furniture polish, oils, varnish, abrasive cleaners, detergents, or ammonia on upholstery leather. Lexington leathers have been permanently preserved during the tanning process and require only simple cleaning. Harsh chemicals may alter or damage leather.

A - Aniline leathers wear well but are susceptible to staining. They will fade over the years if exposed to direct sunlight. For the treatment of oily spills, see above. For non-oil-based spills, blot immediately with a dry, soft, white cloth. If the spill has penetrated the leather, dampen the cloth with lukewarm distilled water and gently massage the stain and surrounding area. Allow it to air dry.

SA - Semi-aniline leathers can be cleaned with a mild soap and water solution. Since this leather has a natural/translucent protective coating applied, it will be easier to clean than pure aniline, but we encourage addressing sooner than later to prevent penetration. For the treatment of oily spills, see "General Maintenance" above. For non-oil-based spills, think a 1:3 ratio where one is a mild soap to three parts water. Use a soft white cloth to blot dry.

P - Protected leathers are easy to clean. For the treatment of oily spills, see above. For non-oil-based spills, blot immediately with a dry, soft, white cloth. If the spill has penetrated the leather, dampen the cloth with distilled water and gently massage the stain and the surrounding area. Gently blot dry with a clean white cloth. Allow it to air dry.

Tommy Bahama Outdoor Living

Care and Maintenance Information

Care and maintenance instructions for outdoor products are significantly different than those for indoor home furnishings. Tommy Bahama Outdoor Living products incorporate a variety of materials that have been developed to withstand the elements and crafted for lasting enjoyment. As with any quality product, care and maintenance are critical to ensuring that longevity – especially in outdoor environments.

Outdoor furniture covers are always recommended when furniture is not in use. In extremely harsh climates, particularly where temperatures drop below freezing, it is recommended that furniture be stored indoors. The following are recommendations for the various materials and finishes in the Tommy Bahama outdoor assortment.

ALUMINUM AND STAINLESS-STEEL FRAMES

Aluminum frames, bases, and tops are easily maintained but should be handled with care like any other fine furniture because of their custom artisan finishes. They should be cleaned with a solution of mild soap and water. For additional protection, a premium quality automotive wax may be applied. When storing furniture, drain any water that may have accumulated in the frame. This may require turning the frame upside down or on its side. Failure to drain standing water may result in freeze damage, which is not covered by the warranty.

ALL-WEATHER WOVEN WICKER

Clean with a soft cloth using a mixture of two tablespoons of mild liquid soap to one gallon of warm water. Do not use solvents, janitorial cleaner, alcohol-based cleaners/protectants, petroleum-based products, ammonia-based cleaners, scouring agents, or bleach.

LANYARD CORDING

Premium lanyard cording is made of PVC and Polyester yarn and will not stretch. The product is UV resistant, colorfast, abrasion resistant, heat resistant, and has high tensile strength. Clean occasionally with mild soap and water and rinse thoroughly.

NATURAL TEAK

Tommy Bahama Outdoor Living uses only the finest quality plantation-grown, sustainably harvested teak in its designs. The indigenous color of teak is golden brown. With age, the patina turns to an elegant silver tone. Regularly oiling teak will cause it to retain its original color longer. Most prefer the teak to age naturally. Teak can be cleaned with mild soap and water. Teak surfaces should never be pressured washed. Premium teak oil can be purchased at a home improvement store or a marine supply store. Varnish is not recommended as a surface coating.

GLASS AND PORCELAIN TOPS

Use a mild soap and water solution to clean glass tops. Avoid surface scratches by using felt pads or placemats for protection.

ALUMINUM TOPS

Aluminum tops are easily maintained but should be handled with care like any other fine furniture because of their custom artisan finish. Avoid surface scratches by using felt pads or placemats for protection. Tops should be washed with a solution of mild soap and water. For additional protection, a premium quality automotive wax may be applied.

NATURAL STONE TOPS

The natural beauty of stone, travertine, and marble is unsurpassed. It will last for years if properly maintained. As a porous material, however, it does require more care than man-made materials. Tommy Bahama stone tops have been professionally sealed to resist moisture and staining. This treatment offers resistance but not prevention. Over time, the factory sealant will lose its protective properties, exposing the stone to potential staining or damage. To ensure the longevity of the top, it should be sealed with a penetrating sealer, available at any tile or home improvement retailer, twice each season. In climates where temperatures fall below freezing, stone tops must be stored in a dry, protected location. If not, water penetrating into the stone may freeze and crack the top. Stone tops should be cleaned regularly with a soft cloth or sponge and a mild soap solution. Rinse with plenty of water to remove soap residue and dry thoroughly immediately after cleaning. Do not use any abrasive, alkaline-based, or acid-based cleaners or solvents. Blot all spills and stains immediately and avoid exposing the top to standing liquids.

WEATHERSTONE and GFRC TOPS

Weatherstone and Glass Fiber Reinforced Concrete (GFRC) tops are man-made products that showcase the best attributes of natural stone while offering exceptional durability. Tops are UV resistant, stain-resistant, and protected with a polyurethane sealant, that significantly reduces the need for cleaning and maintenance. They are manufactured using a unique composite of fiberglass and concrete, making them extremely strong. Because they are hand-finished, no two tops are exactly alike. When being transported, the edges must be protected, as they will chip or crack if dropped on a hard surface. They should never be rolled. To extend the life of the top, it is best to cover the top when not in use. In climates where the temperature falls below freezing, tops should be stored in a dry and protected location. Tops should be cleaned with a mild solution of soap and water. Do not use stone or concrete sealers, waxes, or any acid-based cleaners as these may react with the sealer coat. Wipe spills immediately and avoid exposing the top to standing liquids. If the top is accidentally damaged due to handling or use, standard water-based paint may be used for a touch-up.

UPHOLSTERY CUSHIONS

The exclusive Tommy Bahama Outdoor Living WeatherGuard™ cushion is engineered to be highly water-resistant, mildew resistant, and anti-microbial while offering the most comfortable seating in the industry. In fact, comfort is superior to most fine indoor upholstery. The unique construction consists of (4) distinct layers:

- The inner core is 1.8 lb. density, high-resiliency foam that provides unparalleled support, functioning like a box spring in premium bedding. It is both mold and mildew resistant.
- The second layer is soft-cell foam, designed to provide a relaxed but supportive seat, like a plush mattress.
- The third layer is spun polyester fiber, which is inherently anti-microbial and functions like a pillow-top, offering down-like comfort and a luxurious “crown” to the cushion.
- The fourth layer is a wrapping of water-resistant non-woven ticking that is thermally sealed to prevent water penetration into the layers below.

Clean minor spills with mild soap and a damp cloth. Always rinse thoroughly with water. Pat dry to remove excess water and then allow to air dry. Do not clean using residential or commercial washers or dryers. Do not dry clean. Cushions should be covered or stored indoors when not in use.

NOTE: The application of supplemental fabric treatments to cushions is not recommended and may void the warranty. Performance fabrics are already treated, and the addition of supplemental protectants may adversely affect the fabric. Certain tanning products may cause staining to fabrics.

While cushions and performance fabrics are highly water-resistant, extended exposure to soaking conditions will eventually cause water to penetrate. If wet cushions are handled, standing water is prone to migrate through the fabric casing. In such cases, allow cushions and fabric casings to air dry.

UPHOLSTERY FABRICS

The Tommy Bahama Outdoor Living program includes fabrics and trims from industry leaders in performance technology. A “performance fabric” is one with the following attributes:

- Colorfast dyes that are highly resistant to fading from UV exposure
- Fibers that are inherently resistant to mold and mildew
- A tight weave to withstand the wind and elements
- A durable finish for superior stain and water resistance

Fabrics should be cleaned by removing dirt before it becomes embedded, wiping spills as soon as they occur, and spot cleaning soon after stains occur. Fabrics should be cleaned with a mild solution of soap and water and rinsed thoroughly afterward.

General cleaning: Brush off loose dirt. Prepare a cleaning solution of 2 ounces (1/4 cup) of mild detergent per gallon of lukewarm water. Use a sponge or a soft bristle brush to clean. Allow cleaning solution to soak into fabric. Rinse thoroughly to remove all detergent residue. Allow fabric to air dry.

Spot cleaning: Apply a light mist of mild detergent and water using a spray bottle. Work the solution into the stain by lightly scrubbing the area with a sponge or very soft bristle brush. Rinse thoroughly to remove all detergent residue. Blot excess moisture with a clean, soft towel or sponge. Air dry, repeat rinsing and blotting until all soap residue is removed.

Heavy stains: Performance fabrics do not promote mildew growth; however, mildew may grow on dirt and other foreign substances that are not removed from the fabric. To clean mildew, or other stubborn stains, prepare a solution of 8 ounces (1 cup) of bleach and 2 ounces (1/4 cup) of mild detergent per gallon of clean water. Spray on the entire area and allow to soak into the fabric for 15 minutes. Remove stain with a sponge, clean towel, or soft bristle brush. Rinse thoroughly to remove all detergent residue. Allow fabric to air dry.

FIRE PITS

Installation and operational instructions for all fire pits are included with these units, and available from Lexington Home Brands at the following address:

Lexington Home Brands 1300 National Highway, Thomasville, NC 27360. Attention: Customer Care.

WARNING: Failure to specifically follow these instructions will void the warranty on Products and may subject the purchaser or operator to significant property damage and potentially fatal injury.